



# 16HK021 - Homune table

assembly manual part 1/3

LASVIT




*Only manipulate the glass base with pallet mover Never lift the base by glass components To remove the base from the pallet two people must lift it by the supporting perspex*


# 16HK021 - Homune table

assembly manual part 2/3

LASVIT



*The glass table top is to be glued on the top center of the glass base using the centering template While being glued the template is to be placed on the glass table top The table top is glued with the 3M silicone tape made ready on the glass base First remove the protective film.*






# 16HK021 - Homune table

assembly manual part 3/3

LASVIT



*Glass table plate:*

*Polish with care with a soft cloth and glass cleaner to maximize the brilliance. Do not rub hard.*

*Glass base:*

*Do not use any harsh abrasives, polishes or chemicals. Instead, use a clean, soft, lint-free dry cloth to wipe the glass, using little pressure. Do not rub hard and soak!*

**Warning:**

*Glass parts and table top avoid any form of impact with glass, mirror and ceramic products. In the case of impact, products may be damaged, creating splinters, fractures and sharp edges. We therefore advise handling damaged pieces with great care and wearing gloves.*

*All tops are designed to support light weights and must never be used as work surfaces. Do not stand, sit or hang from tops. Do not rest hot objects such as saucepans or irons directly on tops to avoid heat marks*